











CEPA

Address

4-10 Stanley Street Bendigo Victoria 3550

Postal Address

Box 2002

Bendigo Mail Centre BENDIGO VIC 3554

Phone

(03) 5443 6072

Fax

(03) 5443 8014

Website

www.cepa.com.au

Email

info@cepa.com.au

Normal Trading Hours

Monday to Friday

8.30am - 5.30pm

Saturday 9.00am - Noon

All prices shown include GST & valid at time of publication



MEMBER ONLY MARCH SPECIALS



NEOVET

NEW SAVE 10%

Fleas, Heartworm & Worms

Monthly spot-on for the treatment and control of fleas, roundworms, hookworms, ear mites and lungworms in cats and added extra for heartworm, whipworm, sarcoptic mange and lice in dogs. Stops fleas from feeding in 3-5 minutes. Neovet kills adult and larval fleas within 20 minutes of contact.



Rain Sheet Combos \$69.95

What is Laminitis in horses?

Laminitis in horses is the second biggest killer of horses in the world following colic. It can be caused by many things but the two most common causes are insulin resistance (equine metabolic syndrome) and hindgut acidosis. Insulin resistance laminitis will be the most common one you will deal with.



How it is caused?

Nutritional laminitis is caused in one of two primary ways:

- 1. Insulin resistance where the horse cannot regulate its blood glucose levels with normal amounts of insulin. They generate massive amounts of insulin in response to the absorption of glucose from the gut and it is the insulin that causes the damage to the hoof.
- 2. Hindgut acidosis where starch from grains is rapidly fermented in the hindgut causing a build-up of acid, lowering of the gut pH and damaging the hindgut wall. Once the hindgut wall is damaged, bacteria or

bacterial toxins travel into the bloodstream and to the hoof where they disrupt the function of MMP enzymes that control the connection of the hoof wall to the pedal bone.

What the horse needs.

Feeding management for horses with laminitis generally require a low sugar, low starch diet. The sugar and starch in a horse's diet is called the non-structural carbohydrates, or NSC.

ALL feeds and forages in the diet of a horse with laminitis should contain less than 12% NSC to help keep their blood glucose and insulin levels as low as possible and/or to prevent the passage of starch into the hindgut.





Prydes EasiMash®

A complete feed that is a cool energy mash with fibre, stabilised rice bran for calories and added protein to assist with muscle building. Ideal for: Pleasure Horses, Performance Horses, Endurance Horses and Aged Horses.

Why EasiMash®

- Contains Australian stabilised rice bran, rich in branch-chain amino acids (BCAAs) including leucine to assist with muscle building and post-exercise muscle recovery.
- Adds fibre diversity, which is associated with supporting functional diversity in the hindgut microbiome and a healthier, more resilient gut!
- Fortified with vitamins and minerals and packed with fibre, protein and energy making it a one feed solution.
- Contains 13% oil from Australian stabilised rice bran, full fat soybean, and canola oil, to provide nutrients for brilliant coat shine and sustained energy.
- Contains a yeast prebiotic, red marine algae (acidbuffer) and enzymes which may support gut health.















Nervous Anxiety In Horses

To help settle nervous anxiety and associated over-reactive behaviour is Organic Magnesium, which is more effectively absorbed from the small intestine compared with other forms of magnesium.

Organic Magnesium combined with a natural source

Organic Magnesium combined with a natural source of Vitamin E will efficiently help settle nerve and muscle function.

Suggested dosage rate to help normalise nerve function, behaviour and increase 'focus' concentration of Kohnke's Own Mag E is to double the dose for 5-7 days. This rate can then be reduced to the standard daily dose to maintain concentration in training, competing or travelling.

A more compliant horse will help improve rider safety and confidence.



Apparent

Ravage

For control of broadleaf weeds including capeweed etc. in your lawns. NOT suitable for Buffalo grass.

Active ingredient Dicamba.

Insect & Spider

For control of Internal and external pests including spiders, ants, flies, cockroaches etc.

Active ingredient Deltamethrin

Dingo

Soil barrier for control of termites and meat ants.

Active ingredient Chlorpyrifos.

Woody Extra

For the control of a range of environmental and noxious woody & herbaceous weeds.

Active ingredients 300g/L Triclopyr, 100 g/L Picloram & 8 g/L Aminopyralid









NEW BIRD RANGE

VETSENSE ANIMAL HEALTH

NEW DENTAL RANGE

125ml Calcium \$**16**.80 500ml Cage Cleaner \$**20**.15

125ml Breeding Aid \$13.60 125ml Oregano Oil \$**16**.30

125ml Multivitamin \$**14**.80 125ml Electrolyte \$16.35

100ml Toothpaste Kit \$20.85 500ml Fresh Breath \$23.00

















GARDEN PRODUCTS YOU'LL GROW TO LOVE

25kg Agfert Super \$**38**.60 25kg Rocky Point Poultry Manure Pellets

25kg Rocky Point Blood & Bone

25kg Course Salt \$**9**.25 25kg Dolomite \$**14**.75 25kg Limestone (Ground) \$**8.**36

25kg Di Calcium Phosphate \$11.60 25kg Bentonite (Fine or Granule) \$1 2.50

















