











### **CEPA**

#### Address

4-10 Stanley Street Bendigo Victoria 3550

#### **Postal Address**

Box 2002

Bendigo Mail Centre BENDIGO VIC 3554

#### **Phone**

(03) 5443 6072

#### Fax

(03) 5443 8014

#### Website

www.cepa.com.au

#### Email

info@cepa.com.au

#### **Normal Trading Hours**

Monday to Friday

8.30am - 5.30pm

Saturday 9.00am - Noon

All prices shown include GST & valid at time of publication

# MEET... CEPA'S MEMBER PARTNERSHIP COMPANIES



Needing to replace or test your battery? Servicing Bendigo and Surrounds. Batteries are also stocked at CEPA.



Bendigo's specialist in Hardware, Fencing & Steel.

## **BRIDGESTONE**

Offering the following services for passenger vehicles, 4WD, ATV, quadbikes, polaris vehicles, trucks & tractors:

- Replacement tyres
- Puncture repairs
- Wheel alignments





Offering Bowser & Bulk Fuel.

Contact CEPA on 03 5443 6072 for more information.

## **MEMBER ONLY MARCH SPECIALS**







### What is Laminitis in horses?

Laminitis in horses is the second biggest killer of horses in the world following colic. It can be caused by many things but the two most common causes are insulin resistance (equine metabolic syndrome) and hindgut acidosis. Insulin resistance laminitis will be the most common one you will deal with.



20kg

\$**60**.00

#### How it is caused?

Nutritional laminitis is caused in one of two primary ways:

- 1. Insulin resistance where the horse cannot regulate its blood glucose levels with normal amounts of insulin. They generate massive amounts of insulin in response to the absorption of glucose from the gut and it is the insulin that causes the damage to the hoof.
- 2. Hindgut acidosis where starch from grains is rapidly fermented in the hindgut causing a build-up of acid, lowering of the gut pH and damaging the hindgut wall. Once the hindgut wall is damaged, bacteria or

bacterial toxins travel into the bloodstream and to the hoof where they disrupt the function of MMP enzymes that control the connection of the hoof wall to the pedal bone.

#### What the horse needs.

Feeding management for horses with laminitis generally require a low sugar, low starch diet. The sugar and starch in a horse's diet is called the non-structural carbohydrates, or NSC.

ALL feeds and forages in the diet of a horse with laminitis should contain less than 12% NSC to help keep their blood glucose and insulin levels as low as possible and/or to prevent the passage of starch into the hindgut.



## Prydes ReBuild®

For topline and condition, nothing beats ReBuild. Its unique high-calorie rice bran and soybean formulation promotes weight gain and muscle building. ReBuild is a top up that can be added in small amounts to your horse's diet.

### Why ReBuild®

- Set recipe formulation with the same premium quality proteins from soybean and rice bran used in every batch for incredible muscle building capacity.
- High calorie formulation to encourage weight gain while keeping meal size small.
- Omega 3 and 6 fatty acids for brilliant coat shine and skin health.
- Natural vitamin E and selenium for antioxidant protection of muscles.
- Organic chromium to assist with correct energy metabolism.
- Yeast pre-biotic to support efficient fibre digestion and improve weight gains.
- Fortified with vitamin B1 to assist with maintaining appetite and normal nerve and muscle function.





20kg \$**34**.70

## Johnson's NATURAL FORMULA

## **FIBRE SAFE**

## **Fibre Safe**

Fibre Safe is the perfect addition to your horses diet when you are wanting to substitute roughage such as Pasture, Hay, Chaff (if availability is limited) or if your horses teeth prevent them from chewing adequately. Low in Starch & Sugars made from premium Australian Fibres and Super Fibres as well as being Grain and Molasses Free. Fibre Safe is a cool feed suitable for Horses and Ponies who are,

- In Light, Medium and Hard Work
- Retired and Spelling
- Breeding and Growing
- Tie Up or suffer from Laminitis, Cushings, Insulin Resistance and EMS

#### III Light, Wedidin and Hard Work

## **Nervous Anxiety In Horses**

To help settle nervous anxiety and associated over-reactive behaviour is Organic Magnesium, which is more effectively absorbed from the small intestine compared with other forms of magnesium.

Organic Magnesium combined with a natural source of Vitamin E will efficiently help settle nerve and muscle function.

Suggested dosage rate to help normalise nerve function, behaviour and increase 'focus' concentration of Kohnke's Own Mag E is to double the dose for 5-7 days . This rate can then be reduced to the standard daily dose to maintain concentration in training, competing or travelling.

A more compliant horse will help improve rider safety and confidence.



## Apparent

## Ravage

For control of broadleaf weeds including capeweed etc. in your lawns. NOT suitable for Buffalo grass.

Active ingredient Dicamba.

## **Insect & Spider**

For control of Internal and external pests including spiders, ants, flies, cockroaches etc.

Active ingredient Deltamethrin

## Dingo

Soil barrier for control of termites and meat ants.

Active ingredient Chlorpyrifos.

## **Woody Extra**

For the control of a range of environmental and noxious woody & herbaceous weeds.

Active ingredients 300g/L Triclopyr, 100 g/L Picloram & 8 g/L Aminopyralid













# GARDEN PRODUCTS YOU'LL GROW TO LOVE

25kg **Agfert Super** \$33.50

Yates Agri Boost Pellets \$70.50

Di Calcium **Phosphate** \$**44**.60

**Rocky Point** Blood & Bone \$58.50

Bentonite (Fine or Granule) \$**1 3**.50

25kg Dolomite \$**14**.75

25kg Course Salt \$8.95

Limestone (Ground) \$**8**.35























Proudly Australian Made MITAVITE®



